SHIELD ESD True security

Size:2.0mm(T)×2m(W)×20m(L)
2.5/3.0mm(T)×2m(W)×15m(L)





XYR601 Cloudy



XYR602 Silver



XYR611 Sky

Product advantages

Permanent anti-static structure with conductive granules throughout the entire floor.Conductive particles are uniformly distributed on the base layer, ensure stable index and does not decay.

The base conductive layer is non-toxic. Physical anti-static guarantees permanent reliability. The process of thin coating of bottom ink and chemical conductive agent is rejected.

The floor surface is treated with STATIC PUR, it maintains the original antistatic performance,and make the floor surface more resistant to dirt.

Adhering to the concepts of health, safety and environmental protection. All products uses environmentally friendly plasticizers DOTP. It strictly implements European and American international standards to ensure indoor human health and safety.Reject DOP, DINP and unsafe raw materials.

SHIELD ESD True security

Size:2.0mm(T)×2m(W)×20m(L)
2.5/3.0mm(T)×2m(W)×15m(L)



XYR603 Fog



XYR607 Sand



XYR604 Lake



XYR608 Sahara



XYR605 Sea



XYR609 Emerald



XYR606 Blue



XYR610 Forest

SHIELD ESD True security

Size:2.0mm(T)×2m(W)×20m(L)
2.5/3.0mm(T)×2m(W)×15m(L)



XYR612 Cement



XYR616 Butter



XYR613 Storm



XYR617 Cream



XYR614 Ash

XYR618 Yolk



XYR615 Pewter



XYR619 Seaweed

Catalog is only for color selection, the approved color is subject to the actual large sample